Tired, Wired, Mired and Inspired: Strategies for Preventing Burnout and Compassion Fatigue

Facilitator:

Mark Sanders, LCSW, CADC

Great Lakes Prevention Technology Transfer Center August 5, 2021

Brought To You By:





The Great Lakes ATTC, MHTTC, and PTTC are funded by the Substance Abuse and Mental Health Services Administration (SAMHSA under the following cooperative agreements:

Great Lakes ATTC: 1H79TI080207-03

Great Lakes MHTTC: IH79SM-081733-01

Great Lakes PTTC: 1H79SP081002-01

Disclaimer

This presentation was prepared for the Great Lakes PTTC under a cooperative agreement from the Substance Abuse and Mental Health Services Administration (SAMHSA). All material appearing in this presentation, except that taken directly from copyrighted sources, is in the public domain and may be reproduced or copied without permission from SAMHSA or the authors. Citation of the source is appreciated. Do not reproduce or distribute this presentation for a fee without specific, written authorization from the Great Lakes PTTC.

At the time of this presentation, Tom Coderre, serves as Acting SAMHSA Assistant Secretary. The opinions expressed herein are the views of the speakers and do not reflect the official position of the Department of Health and Human Services (DHHS), SAMHSA. No official support or endorsement of DHHS, SAMHSA, for the opinions described in this document is intended or should be inferred.

January 2021

PTTC Words Matter



The PTTC Network uses affirming language to promote the application of evidence-based and culturally informed practices.



Thank You for Joining Us!

A few housekeeping items:

- If you are having technical issues, please individually
 message Stephanie Behlman or Kristina Spannbauer in
 the chat section at the bottom of your screen and she
 will be happy to assist you.
- Please put any questions for the speaker in the Q & A section, also at the bottom of the screen. The speaker will respond to questions.
- We will be using automated transcription during the webinar today.

Thank You for Joining Us!

A few more housekeeping items:

- You will be directed to a link at the end of the presentation to a very short survey – we would really appreciate it if you could fill it out. It takes about 3 minutes.
- The recorded webinar, slides and any resources will be posted on the Great Lakes PTTC website. It will take 7-10 days for them to be posted.
- Certificates of attendance will be sent out to all who attended the full session. They will be sent via email.

Follow Us On Social Media!

Facebook and Twitter:

- @GreatLakesATTC
- @GMhttc
- @GLPTTC



Presenter



MARK SANDERS, LCSW, CADC

Great Lakes PTTC Presents

Tired, Wired, Mired and Inspired!
Preventing Burnout and Compassion
Fatigue in Harm Reduction Efforts

Presenter
Mark Sanders, LCSW, CADC



Harm Reduction Saves Lives Thank You!


- Fentanyl Strips
- Narcan
- Not mixing opioids with alcohol
- Not mixing opioids with other drugs

Harm Reduction Saves Lives: Continued Thank You!

- Not drinking and driving
- Staying out of cars with strangers
- Watch your drinking
- Testing drugs for purity
- Safe injection sites
- Not sharing needles

Definition of Key Terms

Compassion satisfaction – The pleasure you derive from your work. This includes doing your work well, client progress, collegial relationships, and the realization of the difference you are making.



Compassion Fatigue

Compassion fatigue – Secondary trauma as a result of internalization of clients' traumatic experiences



Burnout

A form of compassion fatigue that develops much slower than secondary trauma. It has a gradual onset and is associated with a non-supportive work environment, toxic organizational dynamics, large caseloads, and the feeling that your work does not make a difference

Work-Related Burnout

Work-related burnout is a response to chronic stress. Its symptoms include emotional exhaustion, depersonalization, and reduced personal accomplishment, which can occur among people who help others.

Stages of Burnout

Honeymoon Stage

Stagnation Stage (The honeymoon is over)

Frustration Stage

Apathy Stage




Factors That Buffer Staff Against Burnout

- Feelings of appreciation
- Team cohesion
- Open communication
- Pro-active strategies to deal with chronic stress

Factors That Buffer Staff Against Burnout, Continued

- Effective supervisor/supervisee relationships
- Creativity
- Individual decision to take responsibility for managing one's own burnout

Factors Contributing to Burnout





Contributing to Burnout: Unhealthy Boundaries

Types of family boundaries

- Loose No one is aware of what is going on with anyone else in the family.
- Enmeshed Family members are too involved in each other's lives.
- Healthy



Factors Contributing to Burnout: Continued

- Clear
- Room for individuation
- Freedom to be who you are and to communicate your own wants, desires, needs, and goals. Everyone in the family is allowed the five freedoms.

The Five Freedoms

- Think what you think
- Feel what you think
- Want what you want
- See what you see
- Imagine your own self-actualization



Types of Boundaries

- Loose everyone doing their own thing
- Enmeshed too close
- Healthy

Factors Contributing to Burnout...

- Closed systems
- Extremes Too much or too little
 - A. Support
 - B. Supervision
 - C. Caseload size



Contributing to Burnout:

- Lack of creativity
- Tension in work relationships
- Continuous stress
- Feeling ineffective

Compassion Fatigue: Definitions

The stress of caring too much

Compassion fatigue differs from burnout in that burnout is caused by stress; compassion fatigue is caused by caring.

Emotional residue as a result of working with those who suffer

Secondary trauma



Who is vulnerable to compassion fatigue?

Receptionists

Social Service Workers

Attorneys

Emergency care workers

Medical professionals

Clergy

Volunteers

Soldiers

Police Officers

Teachers

Firefighters

Nurses



Signs of Compassion Fatigue

Anger

Frustration

Tardiness

Exhaustion

Depression

Feeling hopeless

Blaming others

Irritability

Sleep problems

Rudeness

Gossiping

Erosion of idealism

Flashbacks

Intrusive thoughts

Spiritual distress

Shift in world view

Question


- 1. Are you more vulnerable to **burnout**, which is caused by organizational stress, **or compassion fatigue**, which is caused by caring?
- What are some things you do to take care of yourself?



Compassion Fatigue Intervention Strategies



Compassion Fatigue Intervention Strategies:



Intervention Strategies, Continued

Support


- Colleagues
 - (with whom you do not work)
- Co-workers
- Supervisor
- Family
- Friends
- Mentors




Intervention Strategies: Balance

Individuals experiencing compassion fatigue are often leading lives that are out of balance.

An important part of recovery from compassion fatigue involves putting first things first.



Intervention Strategies: Time Management





Source: flickr commons

What the Most Successful People do Before 9 AM:

Develop their body

Develop their spirit

Develop their relationships

Most People Lose Discipline at Night

Most:

- Affairs
- Alcohol and drug relapses
- Diet breaking
- Gambling
- Return to cigarettes smoking
- Real bad arguments
- Flights/breakups
- Murders

...Happen at night



What the Most Successful People do on Weekends



- Get up early
- Get some of their weekend chores done during the week
- Create family rituals that can last a lifetime
- Do 3 activities that are meaningful or fun that last 2 to 3 hours (the last one occurring Sunday evening after 6 PM)
- 9-hour vacations





Source: flickr commons

4 Things That Are Most Important to Me



Time Management

I. Urgent and Important	II. Important, not Urgent
CrisisEmergenciesDeadlinesSuicidal ideation	Purpose/MissionImportant relationshipsLong-range planningThat book!
III. Urgent but not Important	IV. Unimportant and not Urgent
 Other people's crises & problems Interruptions Some phone calls, some meetings, some emails 	Time wastersBusy workTriviaConfusing activity with progress